

# CATALOG

2016

ISO 9001:2008  
ISO 13485:2003

## CONTENTS

### **SEROLOGICAL TESTS**

HIV Diagnostics  
 Hepatitis A Diagnostics  
 Hepatitis B Diagnostics  
 Hepatitis C Diagnostics  
 Syphilis Diagnostics  
 Chlamydia Diagnostics  
 Toxoplasmosis Diagnostics  
 Rubella Diagnostics  
 CMV Diagnostics  
 Herpes Diagnostics  
 Epshtein Barr  
 Helicobacter Pilori Diagnostics  
 Mycoplasma Diagnostics  
 Ureaplasma Diagnostics  
 Paroti(Di)Tis Diagnostics  
 Measles Diagnostics  
 West nile virus Diagnostics  
 Crimean-Congo Hemorrhagic fever virus Diagnostics  
 Tick-Borne Encephalitis Diagnostics  
 Borrelia Diagnostics  
 Candidosis Diagnostics  
 Diagnosis of Parasitic Infections  
 Varicella zoster Diagnostics  
 Diagnosis of Respiratory Syncytial Infections  
 Diagnosis of Influenza and Parainfluenza  
 Diagnosis of Hormonal Status  
 Diagnosis of Oncological Disease  
 Diagnosis of Adenovirus  
 Diagnosis of Staphylococci  
 Diagnosis of Streptococcal  
 Diagnosis of Infectious Mononucleosis  
 Diagnosis of Rotavirus Infection

### **FEBRILE SERODIAGNOSTIC:**

Salmonella Paratyphi Diagnostics  
 Typhoid Diagnostics  
 Brucellosis Diagnostics  
 Proteus Diagnostics  
 Pertussis Diagnosis

### **DIAGNOSIS OF INFLAMMATORY PROCESSES**

Rheumatoid Factor  
 Antistreptolysin-O  
 C-Reactive Protein

## **RAW MATERIALS** **BIOCHEMICAL TESTS**

**Lipids**

**Carbohydrates**

**Enzymes**

**Protein and Non-Protein Nitrogen Substances Exchange**

**Electrolytes**

**Chromoproteins Exchange**

## **DYES FOR HEMATOLOGICAL TESTS**

# **SEROLOGICAL TESTS**

## HIV DIAGNOSTICS

<b>Cat№</b>	<b>Description of kits</b>	<b>Tests</b>	
<b>01.03.1</b>	<b>ELISA-HIV-1, 2-Ab</b> Enzyme immunoassay for determination of antibodies to HIV-1 and HIV-2. <b>01.03.1</b> <b>Kit № 1</b> (2 plates) <b>01.03.1/2</b> <b>Kit № 1/2</b> (5 plates) <b>01.03.2</b> <b>Kit № 2</b> (1 plate) <b>01.03.2a</b> <b>Kit № 2a</b> (1 plates) (for the partial tests by using open automatic analyzers)	<b>192</b> <b>480</b> <b>96</b> <b>96</b>	
<b>01.07</b>	<b>AgAb-HIV-1, 2</b> Enzyme immunoassay for the detection of antibodies to HIV-1 and HIV-2 and p24 HIV-1 antigen. <b>01.07</b> <b>Kit № 1</b> (2 plates) <b>01.07.1/2</b> <b>Kit № 1/2</b> (5 plates) <b>01.08</b> <b>Kit № 2</b> (1 plate) <b>01.08a</b> <b>Kit № 2a</b> (1 plate) (for the partial tests by using open automatic analyzers)	<b>192</b> <b>480</b> <b>96</b> <b>96</b>	
<b>01.04.1</b> <b>01.04.2</b>	<b>ELISA-Ag-HIV-1</b> Enzyme immunoassay for determination of p24 HIV-1 antigen <b>01.04.1</b> <b>Kit № 1</b> (2 plates) <b>01.04.2</b> <b>Kit № 2</b> (1 plate)	<b>192</b> <b>96</b>	
<b>01.20</b>	<b>Intralaboratory Control-Anti-HIV-1</b> Kit of reagents for determination of intralaboratory quality assurance of human serum or plasma on presence of antibodies to HIV-1 (liquid) «AgAb-HIV-1,2» «Elisa-HIV-1,2-Ab»  <b>Intralaboratory Control-Anti-HIV-1</b> Kit of reagents for determination of intralaboratory quality	<b>360</b> <b>55</b>	<b>on request</b>

<b>Cat№</b>	<b>Description of kits</b>	<b>Tests</b>	
	assurance of human serum or plasma on presence of antibodies to HIV-1 «AgAb-HIV-1,2»	<b>120</b>	<b>on request</b>
<b>01.20.1</b>	<b>Intralaboratory Control-p24-HIV-1</b> Kit of reagents for intralaboratory quality control of human serum or plasma on presence of antigen p24, HIV-1	<b>240</b>	
<b>01.20.2</b>	<b>Intralaboratory Control-AgAb-HIV-1</b> Kit of reagents for intralaboratory quality control of human serum or plasma on presence of antibodies to HIV-1 and p24 antigen	<b>120</b>	
<b>02.31</b>	<b>MultiPlus-3</b> Kit of reagents for intralaboratory quality control of human serum or plasma on presence HBsAg , antibodies to Hepatitis C, HIV-1	<b>150</b>	
	<b>Blot-HIV-1 (Western Blot) - confirmation test</b> Enzyme immunoassay for determination of antibodies to individual antigens of HIV-1 by immune blotting method		
<b>01.05</b>	<b>Kit № 1/1</b> (conjugate is in a concentrate)	<b>18</b>	
<b>01.05.1</b>	<b>Kit № 1/2</b> (conjugate is in a concentrate)	<b>24</b>	
<b>01.05.2</b>	<b>Kit № 2/1</b> (ready-to-use conjugate)	<b>18</b>	
<b>01.05.3</b>	<b>Kit № 2/2</b> (ready-to-use conjugate)	<b>24</b>	
<b>01.21</b>	<b>Blot-HIV-2 (Western Blot)</b> Enzyme immunoassay for determination of antibodies to individual antigens of HIV-2 by immune blotting method. Ready-to-use conjugate	<b>24</b>	
	<b>Line-Blot HIV-1, 2 - confirmation test</b> Enzyme immunoassay for determination of antibodies to HIV-1 and HIV-2 by line blotting method with using recombinant antigens		
<b>1.19</b>	<b>Kit № 1</b>	<b>24</b>	<b>on request</b>
<b>01.19.1</b>	<b>Kit № 2</b>	<b>36</b>	<b>on request</b>

Cat№	Description of kits	Tests
<b>01.19.3</b>	<b>Kit № 3</b>	<b>48</b>

### HEPATITIS A DIAGNOSTICS

Cat№	Description of kits	Tests
<b>02.15</b>	<b>ELISA-Anti-HAV-IgM</b> Enzyme immunoassay for qualitative determination of IgM antibodies to Hepatitis A.	<b>96</b>

### HEPATITIS B DIAGNOSTICS

Cat№	Description of kits	Tests
<b>02.04</b>	<b>ELISA-HBs-Ag Kit № 1</b> (2-plates)	<b>192</b>
<b>02.03</b>	<b>ELISA-HBs-Ag Kit № 1/2</b> (5-plates)	<b>480</b>
<b>02.05</b>	<b>ELISA-HBs-Ag Kit № 2</b> (1-plate)	<b>96</b>
<b>02.05a</b>	<b>ELISA-HBs-Ag Kit № 2a</b> (1-plate)  For fractional productions on automatic analyzers of open type	<b>96</b>
<b>02.06</b>	<b>ELISA-HBs-Ag Kit № 3-confirmation test</b>  Enzyme immunoassay for determination and confirmation of HBsAg with sensitivity – 0.05 ng/ml	<b>48</b>
<b>02.13</b>	<b>ELISA-HBs-Ag Kit № 3/1-confirmation test</b> , 200 definitions	<b>200</b>
<b>02.13.1</b>	<b>ELISA-HBs-Ag Kit № 3/1-confirmation test</b> , 240 definitions	<b>240</b>
<b>02.04.01</b>	<b>ELISA -HBsAg-0.01 Kit № 1</b> (2-plates)	<b>192</b>
<b>02.03.01</b>	<b>ELISA -HBsAg-0.01 Kit № 1/2</b> (5-plates)	<b>480</b>
<b>02.05.01</b>	<b>ELISA-HBs-Ag Kit № 2</b> (1-plate)	<b>96</b>
<b>02.06.01</b>	<b>ELISA-HBs-Ag Kit № 3-confirmation test</b>  Enzyme immunoassay for determination and confirmation of HBsAg with sensitivity – 0.01 ng/ml	<b>48</b>
<b>02.21</b>	<b>ELISA-HbeAg</b>  Enzyme immunoassay for determination of Hbe-antigen in human serum (plasma)	<b>96</b>

Cat№	Description of kits	Tests	
<b>02.18</b>	<b>Intralaboratory control HbsAg</b> Test-system for intralaboratory quality control of serum (plasma) on presence of HbsAg	<b>400</b>	
<b>02.08</b>	<b>ELISA-antiHBsAg</b> Enzyme immunoassay for determination of total antibodies to HbsAg	<b>96</b>	
<b>02.07</b>	<b>ELISA-antiHBcore</b> Enzyme immunoassay for qualitative determination of total antibodies to core-antigen of Hepatitis B.	<b>96</b>	
<b>02.12</b>	<b>ELISA-antiHBcore-IgM</b> Enzyme immunoassay for qualitative determination of IgM antibodies to core-antigen of Hepatitis B.	<b>96</b>	
<b>02.22</b>	<b>HBsAg-control panel of serum</b> Control serum panel containing and not containing antibodies to HBsAg		<b>on request</b>
<b>02.30</b>	<b>MultiPlus-2</b> Kit of reagents for intralaboratory quality control of human serum or plasma on presence HBsAg , antibodies to Hepatitis C	<b>150</b>	
<b>02.31</b>	<b>MultiPlus-3</b> Kit of reagents for intralaboratory quality control of human serum or plasma on presence HBsAg , antibodies to Hepatitis C, HIV-1	<b>150</b>	

**HEPATITIS C DIAGNOSTICS**

Cat№	Description of kits	Tests	
<b>02.09</b>	<b>ELISA-HCV Kit №1</b> (2-plates)	<b>192</b>	
<b>02.10</b>	<b>ELISA-HCV Kit №1/1</b> (1-plate)	<b>96</b>	
<b>02.10a</b>	<b>ELISA-HCV Kit № 1/1a</b> (1-plate) for fractional setting on automatic analyzers of open type	<b>96</b>	
<b>02.14</b>	<b>ELISA-HCV Kit №1/2</b> (5-plates)	<b>480</b>	
<b>02.11</b>	<b>ELISA-HCV Kit №2 -confirmation test</b> The spectrum of 6 antigens includes recombinant and peptide proteins	<b>32</b>	

Cat №	Description of kits	Tests	
<b>02.11.2</b>	<b>ELISA-HCV Kit №2/1 -confirmation test</b> The spectrum of 4 antigens includes recombinant proteins	<b>24</b>	
<b>02.11.3</b>	<b>ELISA -HCV Kit №2/2 -confirmation test</b> The spectrum of 4 antigens includes recombinant proteins	<b>120</b>	
<b>02.11.1</b>	<b>ELISA-HCV Kit № 3-confirmation test</b> Structural core-antigen and nonstructural (NS <sub>3</sub> , NS <sub>4</sub> , SN <sub>5</sub> ) separately Enzyme immunoassay for determination and confirmation of antibodies to Hepatitis C	<b>48</b>	
<b>02.25</b>	<b>Line-Blot-HCV - confirmation test</b> Enzyme immunoassay for determination of antibodies to Hepatitis C by line blotting method with using of recombinant antigens.	<b>24</b>	
<b>02.19</b>	<b>Intralaboratory control anti-HCV</b> Kit of reagents for intralaboratory quality control of serum (plasma) on presence antibodies to Hepatitis C	<b>1200</b>	
<b>02.20</b>	<b>ELISA-antiHCV-IgM</b> Enzyme immunoassay for determination IgM antibodies to Hepatitis C	<b>96</b>	
<b>02.26</b>	<b>Anti-HCV</b> Control panel of serum		<b>on request</b>
<b>02.30</b>	<b>MultiPlus-2</b> Kit of reagents for intralaboratory quality control of human serum or plasma on presence HBsAg , antibodies to Hepatitis C	<b>750</b>	
<b>02.31</b>	<b>MultiPlus-3</b> Kit of reagents for intralaboratory quality control of human serum or plasma on presence HBsAg , antibodies to Hepatitis C, HIV-1	<b>750</b>	

**SYPHILIS DIAGNOSTICS**

Cat№	Description of kits	Tests	
<b>03.15</b>	<b>ELISA-ANTIPALLIDUM-SCREEN (IgM+IgG+IgA)</b> Enzyme immunoassay for determination of antibodies to Treponema pallidum <b>Kit №1</b> (2-plates) <b>Kit №2</b> (1-plate) <b>Kit №2a</b> (1-plate) for fractional setting on automatic analyzers of open type <b>Kit №3 (5-plates)</b>	<b>192</b> <b>96</b> <b>96</b> <b>480</b>	
<b>03.15.2</b>	<b>ELISA-ANTIPALLIDUM-ONE-STEP (screening of antibodies)</b> Enzyme immunoassay for determination of total antibodies to Treponema pallidum <b>Kit №1</b> (2-plates) <b>Kit №2</b> (1-plate) <b>Kit №2a</b> (1-plate) (for fractional setting on automatic analyzers of open type) <b>Kit №3 (5-plates)</b>	<b>192</b> <b>96</b> <b>96</b> <b>480</b>	
<b>03.23</b>	<b>Intralaboratory Control-Antipallidum</b> <b>Kit №1</b> ELISA-Antipallidum-screen <b>Kit №2</b> ELISA-Antipallidum-ONE-STEP	<b>2400</b> <b>2400</b>	
<b>03.21</b>	<b>ELISA-ANTIPALLIDUM-IgM</b> Enzyme immunoassay for determination of IgM antibodies to Treponema pallidum <b>Kit №1</b> (2-plates) <b>Kit №2 (1-plate)</b>	<b>192</b> <b>96</b>	
<b>03.20</b>	<b>ELISA-ANTIPALLIDUM-IgG</b> <b>Kit №1</b> (2-plates) <b>Kit №2 (1-plate)</b> <b>Enzyme immunoassay for determination of IgG antibodies to Treponema pallidum</b>	<b>192</b> <b>96</b>	

Cat №	Description of kits	Tests	
<b>03.22.2</b>	<b>Line-Blot Syphilis - confirmation test</b>  <b>Kit №1</b>  Enzyme immunoassay for determination and confirmation of antibodies of <b>IgG</b> to Treponema pallidum by line blotting method with using of recombinant antigens	<b>24</b>	
<b>03.22.3</b>	<b>Kit №2</b>  Enzyme immunoassay for determination and confirmation of antibodies of <b>IgM</b> to Treponema pallidum by line blotting method with using of recombinant antigens	<b>24</b>	
<b>03.06</b>	<b>Syphilis TPHA-test-100</b>  <b>Kit №1</b> (8.5 ml of Test Cells)	<b>100</b>	
<b>03.09</b>	<b>Kit №2</b> (17.0 ml of Test Cells)+determination of antibodies' titre  Passive hemagglutination test for determination of antibodies to Treponema pallidum	<b>100</b>	
<b>03.13</b>	<b>Syphilis RPR-test</b>  <b>Kit №1</b>	<b>100</b>	
<b>03.14</b>	<b>Kit №2</b>  Test-system for determination of antibodies to cardiolipin antigen in flocculation reaction	<b>500</b>	
<b>03.08</b>	<b>Cardiolipin antigen for complement fixation reaction</b> (10x2ml)	<b>1000</b>	

Cat №	Description of kits	Tests	
<b>03.07</b>	<b>Syphilis RMP-test</b> Cardiolipin antigen for microprecipitation reaction <b>Kit № 1</b> (10 vials x 2 ml) (solution choline chloride in 0.9% solution of sodium chloride 2x5 ml; or 1x10 ml)	<b>1000</b>	
<b>03.07κ</b>	<b>Kit № 1/2</b> (10 vials x 2 ml) (solution choline chloride in 0.9% solution of sodium chloride 2x5 ml; or 1x10 ml) with a lot of control rabbit serum positive(1 ml) and negative(1 ml)	<b>1000</b>	
<b>03.07.1</b>	<b>Kit № 2</b> (monoreagent – liquid, stabilized)	<b>500</b>	
<b>03.07.1κ</b>	<b>Kit № 2/2</b> (monoreagent – liquid, stabilized) with a lot of control rabbit serum positive(1 ml) and negative(1 ml)	<b>500</b>	
<b>03.07.2</b>	<b>Kit № 2</b> (monoreagent – liquid, stabilized)	<b>1000</b>	
<b>03.07.2κ</b>	<b>Kit № 2/2</b> (monoreagent – liquid, stabilized) with a lot of control rabbit serum positive(1 ml) and negative(1 ml)	<b>1000</b>	
<b>03.12</b>	<b>Conserved sheep blood for complement fixation reaction</b>	<b>5 vials x 10 ml</b>	
<b>03.16</b>	<b>Diagnostic hemolytic serum, liquid for RSK (rabbits)</b>	<b>10 vials x 2ml</b>	
<b>03.17</b>	<b>Positive control serum for syphilis diagnostics (rabbits')</b>	<b>10 vials x 1ml</b>	
<b>03.17.1</b>	<b>Weak positive control serum for syphilis diagnostics (rabbits')</b>	<b>10 vials x 1ml</b>	
<b>03.17.2</b>	<b>Negative control serum for syphilis diagnostics (rabbits')</b>	<b>10 vials x 1ml</b>	
<b>03.18</b>	<b>Positive control serum for syphilis diagnostics (human)</b>	<b>5 vials x 0.3ml</b>	
<b>03.18.1</b>	<b>Weak positive control serum for syphilis diagnostics (human)</b>	<b>5 vials x 0.3ml</b>	
<b>03.18.2</b>	<b>Negative control serum for syphilis diagnostics (human)</b>	<b>5 vials x 0.5ml</b>	
	<b>Antipallidum-IFA-IgM/IgG</b> <b>Kit № 1</b> Immunofluorescence assay for determination of IgM		

<b>Cat№</b>	<b>Description of kits</b>	<b>Tests</b>	
<b>03.04.01</b>	antibodies to Treponema pallidum <b>Kit №1/50</b>	<b>50</b>	
<b>03.04.02</b>	<b>Kit №1/80</b>	<b>80</b>	
<b>03.04.03</b>	<b>Kit №1/100</b>	<b>100</b>	
<b>03.05.01</b>	<b>Antipallidum-IFA-IgM/IgG</b> <b>Kit № 2</b> Immunofluorescence assay for determination of IgG antibodies to Treponema pallidum <b>Kit №2/50</b>	<b>50</b>	
<b>03.05.02</b>	<b>Kit №2/80</b>	<b>80</b>	
<b>03.05.03</b>	<b>Kit №2/100</b>	<b>100</b>	
<b>03.24</b>	<b>VDRL-test</b> Test-system for express revealing titre of reagin to Treponema pallidum in serum (plasma) by flocculation on glass method	<b>1000</b>	

**CHLAMYDIA DIAGNOSTICS**

<b>Cat№</b>	<b>Description of kits</b>	<b>Tests</b>	
<b>04.01</b>	<b>ELISA-Chlamydia-IgA</b> Enzyme immunoassay for determination of IgA to Chlamydia trachomatis (qualitative and semiquantitative method).	<b>96</b>	
<b>04.02</b>	<b>ELISA-Chlamydia-IgM</b> Enzyme immunoassay for determination of IgM to Chlamydia trachomatis (qualitative and semiquantitative method)	<b>96</b>	
<b>04.03</b>	<b>ELISA-Chlamydia-IgG</b> Enzyme immunoassay for determination of IgG to Chlamydia trachomatis (qualitative and semiquantitative method).	<b>96</b>	
<b>04.04</b>	<b>Chlamy-fluorogen</b> Immunofluorescence assay for determination of antibodies to Chlamydia trachomatis	<b>50</b>	

**TORCH-INFECTIONS DIAGNOSTICS**

Cat№	Description of kits	Tests		
	<b>«Line-Blot TORCH –profile»</b> Kit of reagents for synchronous multiplexed detection of immunoglobulin G or M to antigens of the main TORCH-infections: Toxoplasma gondii, Rubella virus, Cytomegalovirus and Herpes simplex virus type 1 and 2 by the immunoblotting method			
<b>50.01.1</b>	Kit № 1 «Line-Blot TORCH –profile-IgG»	24	<b>on request</b>	
<b>50.01.2</b>	Kit № 2 «Line-Blot TORCH –profile-IgM»	24	<b>on request</b>	

### TOXOPLASMOSIS DIAGNOSTICS

Cat№	Description of kits	Tests	
<b>05.01</b>	<b>ELISA -Toxo-IgM-capture</b> Enzyme immunoassay for determination of IgM to Toxoplasma gondii.	<b>96</b>	
<b>05.03</b>	<b>ELISA -Toxo-IgG</b> Enzyme immunoassay for determination of IgG to Toxoplasma gondii. (qualitative and semiquantitative method).	<b>96</b>	
<b>05.04</b>	<b>ELISA -antiToxo-IgG-avidity</b> Enzyme immunoassay for determination of index of avidity IgG to Toxoplasma gondii	<b>48</b>	
<b>05.06.1</b>	<b>Toxoplasmosis- fluorogen- IgG</b> Immunofluorescence assay for determination of IgG antibodies to Toxoplasma gondii.	<b>50</b>	<b>on request</b>
<b>05.06.2</b>	<b>Kit № 1</b> <b>Kit № 2</b>	<b>100</b>	<b>on request</b>
<b>05.07.1</b>	<b>Toxoplasmosis- fluorogen- IgM</b> Immunofluorescence assay for determination of IgM antibodies to Toxoplasma gondii.	<b>50</b>	<b>on request</b>
<b>05.07.2</b>	<b>Kit № 1</b> <b>Kit № 2</b>	<b>100</b>	<b>on request</b>

**RUBELLA DIAGNOSTICS**

<b>Cat№</b>	<b>Description of kits</b>	<b>Tests</b>	
<b>06.01</b>	<b>ELISA -Rubella-IgM-capture</b> Enzyme immunoassay for determination of IgM to Rubella virus.	<b>96</b>	
<b>06.02</b>	<b>ELISA -Rubella-IgG</b> Enzyme immunoassay for determination of IgG to Rubella virus. (qualitative and semiquantitative method).	<b>96</b>	
<b>06.03</b>	<b>ELISA-antiRubella-IgG-avidity</b> Enzyme immunoassay for determination of index of avidity IgG antibodies to Rubella virus	<b>48</b>	

**CMV DIAGNOSTICS**

<b>Cat№</b>	<b>Description of kits</b>	<b>Tests</b>	
<b>07.01</b>	<b>ELISA-CMV-IgM</b> Enzyme immunoassay for determination of IgM to Cytomegalovirus.	<b>96</b>	
<b>07.02</b>	<b>ELISA-CMV-IgG</b> Enzyme immunoassay for determination of IgG to Cytomegalovirus.	<b>96</b>	
<b>07.03</b>	<b>ELISA-CMV-IgG-avidity</b> Enzyme immunoassay for determination of index of avidity IgG to CMV	<b>48</b>	
<b>07.04.1</b>	<b>CMV - fluorogen- IgM</b> Immunofluorescence assay for determination of IgM antibodies to Cytomegalovirus.		
<b>07.04.2</b>	<b>Kit № 1</b>	<b>50</b>	<b>on request</b>
	<b>Kit № 2</b>	<b>100</b>	<b>on request</b>
<b>07.05.1</b>	<b>CMV - fluorogen- IgG</b> Immunofluorescence assay for determination of IgG antibodies to Cytomegalovirus.		
<b>07.05.2</b>	<b>Kit № 1</b>	<b>50</b>	<b>on request</b>
	<b>Kit № 2</b>	<b>100</b>	<b>on request</b>

Cat№	Description of kits	Tests		
	<b>Blot-CMV-IgM/IgG</b> Kit of reagents for the detection of immunoglobulin M and G to the cytomegalovirus by the immunoblotting method			
<b>07.06.1</b>	Kit № 1 «ELISA-WB-CMV-IgM»	<b>24</b>	<b>on request</b>	
<b>07.06.2</b>	Kit № 2 «ELISA-WB-CMV-IgG»	<b>24</b>	<b>on request</b>	

**HERPES DIAGNOSTICS**

Cat№	Description of kits	Tests	
<b>08.01</b>	<b>ELISA-Herpes-1+2-IgM</b> Enzyme immunoassay for determination of IgM to Herpes Simplex Virus I and II.	<b>96</b>	
<b>08.02</b>	<b>ELISA-Herpes-1-IgG</b> Enzyme immunoassay for determination of IgG to Herpes Simplex Virus type I (qualitative and semiquantitative method).	<b>96</b>	
<b>08.03</b>	<b>ELISA-Herpes-2-IgG</b> Enzyme immunoassay for determination of IgG to Herpes Simplex Virus type II (qualitative and semiquantitative method).	<b>96</b>	
<b>08.04</b>	<b>ELISA-Herpes-1+2-IgG</b> Enzyme immunoassay for determination of IgG to Herpes Simplex Virus I and II	<b>96</b>	
<b>08.05</b>	<b>ELISA-antiHerpes-1+2-IgG-avidity</b> Enzyme immunoassay for determination of index of avidity IgG Immunofluorescence assay for determination of IgG antibodies to to Herpes Simplex Virus	<b>48</b>	
<b>08.06.1</b>	<b>Herpes-1-fluorogen- IgM</b> Immunofluorescence assay for determination of IgM antibodies to to Herpes Simplex Virus I <b>Kit № 1/1</b>	<b>50</b>	<b>on request</b>
<b>08.06.2</b>	<b>Kit № 1/2</b>	<b>100</b>	<b>on request</b>

Cat№	Description of kits	Tests	
	<b>Herpes-2-fluorogen- IgM</b> Immunofluorescence assay for determination of IgM antibodies to Herpes Simplex Virus II		
<b>08.07.1</b>	<b>Kit № 2/1</b>	<b>50</b>	<b>on request</b>
<b>08.07.2</b>	<b>Kit № 2/2</b>	<b>100</b>	<b>on request</b>
	<b>Herpes-1-fluorogen- IgG</b> Immunofluorescence assay for determination of IgG antibodies to Herpes Simplex Virus I		
<b>08.08.1</b>	<b>Kit № 1/1</b>	<b>50</b>	<b>on request</b>
<b>08.08.2</b>	<b>Kit № 1/2</b>	<b>100</b>	<b>on request</b>
	<b>Herpes-2-fluorogen- IgG</b> Immunofluorescence assay for determination of IgG antibodies to Herpes Simplex Virus II		
<b>08.09.1</b>	<b>Kit № 2/1</b>	<b>50</b>	<b>on request</b>
<b>08.09.2</b>	<b>Kit № 2/2</b>	<b>100</b>	<b>on request</b>

**EPSHTEIN BARR**

Cat№	Description of kits	Tests	
<b>26.01</b>	<b>ELISA Epstein-Barr-IgM</b> Enzyme immunoassay for determination of IgM to Epstein-Barr	<b>96</b>	
<b>26.02</b>	<b>ELISA Epstein-Barr-IgG</b> Enzyme immunoassay for determination of IgG to Epstein-Barr	<b>96</b>	

**HELICOBACTER PILORI DIAGNOSTICS**

Cat№	Description of kits	Tests	
<b>09.01</b>	<b>ELISA-Helicobacter pylori-IgA</b> Enzyme immunoassay for determination of IgA antibodies to Helicobacter pylori (qualitative and semiquantitative method).	<b>96</b>	
<b>09.02</b>	<b>ELISA-Helicobacter pylori-IgG</b>		

Cat№	Description of kits	Tests	
	Enzyme immunoassay for determination of IgG antibodies to Helicobacter pylori. (qualitative and semiquantitative method).	<b>96</b>	
<b>09.03</b>	<b>ELISA-Helicobacter-antibodies (IgA,IgM,IgG)</b> Enzyme immunoassay for the determination of total antibodies to Helicobacter pylori (qualitative and semiquantitative method)	<b>96</b>	

**MYCOPLASMA DIAGNOSTICS**

Cat№	Description of kits	Tests	
<b>10.01</b>	<b>ELISA-Mycoplasma-IgM</b> Enzyme immunoassay for determination of IgM antibodies to Mycoplasma pneumoniae (qualitative and semiquantitative method)	<b>96</b>	
<b>10.02</b>	<b>ELISA-Mycoplasma-IgG</b> Enzyme immunoassay for determination of IgG antibodies to Mycoplasma pneumoniae (qualitative and semiquantitative method)	<b>96</b>	
<b>10.05</b>	<b>ELISA-Myco-hominis-IgA/ IgM/ IgG Kit № 1</b> Enzyme immunoassay for determination of IgA antibodies to Mycoplasma hominis	<b>96</b>	
<b>10.07</b>	<b>ELISA-Myco-hominis-IgA/ IgM/ IgG Kit № 2</b> Enzyme immunoassay for determination of IgM antibodies to Mycoplasma hominis	<b>96</b>	
<b>10.06</b>	<b>ELISA-Myco-hominis-IgA/ IgM/ IgG Kit № 3</b> Enzyme immunoassay for the determination of IgG antibodies to Mycoplasma hominis	<b>96</b>	
<b>10.03</b>	<b>EKOlab-Myco-pneumo-IFA</b> Immunofluorescence assay for determination of antigens of Mycoplasma pneumoniae	<b>50</b>	
<b>10.04</b>	<b>EKOlab-Myco-hominis-IFA</b> Immunofluorescence assay for determination of antigens of Mycoplasma hominis	<b>50</b>	

**UREAPLASMA DIAGNOSTICS**

Cat№	Description of kits	Tests	
<b>13.02</b>	<b>ELISA-anti Ureaplasma-IgA/IgG</b> Enzyme immunoassay for determination of specific IgA/IgG antibodies to Ureaplasma urealyticum in human serum or plasma	<b>96</b>	
<b>13.03</b>	<b>ELISA-anti Ureaplasma-IgA</b> Enzyme immunoassay for determination of specific IgA antibodies to Ureaplasma urealyticum in human serum or plasma	<b>96</b>	
<b>13.05</b>	<b>ELISA-anti Ureaplasma-IgM</b> Enzyme immunoassay for determination of specific IgM antibodies to Ureaplasma urealyticum in human serum or plasma	<b>96</b>	
<b>13.04</b>	<b>ELISA-anti Ureaplasma-IgG</b> Test system for determination of specific IgG antibodies to Ureaplasma urealyticum in human serum or plasma	<b>96</b>	
<b>13.01</b>	<b>Ureaplasma- fluorogen</b> Immunofluorescence assay for determination of antigens of Ureaplasma urealiticum	<b>50</b>	

**PAROTI(DI)TIS DIAGNOSTICS**

Cat№	Description of kits	Tests	
<b>18.01</b>	<b>ELISA-Mumps-IgM/IgG Kit № 1</b> Enzyme immunoassay for determination of IgM antibodies to Mumps virus	<b>96</b>	
<b>18.02</b>	<b>ELISA-Mumps-IgM/IgG Kit № 2</b> Enzyme immunoassay for determination of IgG antibodies to Mumps virus	<b>96</b>	

**MEASLES DIAGNOSTICS**

Cat№	Description of kits	Tests	
<b>19.01</b>	<b>ELISA-Measles-IgM</b> Enzyme immunoassay for determination of IgM antibodies to Measles virus	<b>96</b>	

Cat№	Description of kits	Tests	
<b>19.02</b>	<b>ELISA-Measles-IgG</b> Enzyme immunoassay for determination of IgG antibodies to Measles virus	<b>96</b>	

**WEST NILE VIRUS DIAGNOSTICS**

Cat№	Description of kits	Tests	
<b>39.01</b>	<b>ELISA-WNV-IgM</b> Kit of reagents for the detection of immunoglobulin M to the West Nile Virus	<b>48</b>	
<b>39.02</b>	<b>ELISA-WNV-IgG</b> Kit of reagents for the detection of immunoglobulin G to the West Nile Virus	<b>48</b>	
<b>39.03</b>	<b>ELISA-WNV- antigen</b> Kit of reagents for the detection of the West Nile virus antigen	<b>48</b>	

**CRIMEAN-CONGO HEMORRHAGIC FEVER VIRUS DIAGNOSTICS**

Cat№	Description of kits	Tests	
<b>43.01</b>	<b>ELISA- CCHF-IgM</b> Kit of reagents for the detection of immunoglobulin M to the Crimean-Congo hemorrhagic fever virus	<b>48</b>	
<b>43.02</b>	<b>ELISA- CCHF-IgG</b> Kit of reagents for the detection of immunoglobulin G to the Crimean-Congo hemorrhagic fever virus	<b>48</b>	
<b>43.03</b>	<b>ELISA- CCHF- antigen</b> Kit of reagents for the detection of the Crimean-Congo hemorrhagic fever virus antigen	<b>48</b>	

**TICK-BORNE ENCEPHALITIS DIAGNOSTICS**

Cat№	Description of kits	Tests	
<b>21.01</b>	<b>ELISA-TBE-IgM</b> Enzyme immunoassay for determination of IgM antibodies to Tick-borne encephalitis.	<b>96</b>	
<b>21.02</b>	<b>ELISA-TBE-IgG</b>	<b>96</b>	

Cat№	Description of kits	Tests	
	Enzyme immunoassay for the detection of IgG antibodies to Tick-borne encephalitis.		

**BORRELIA DIAGNOSTICS**

Cat№	Description of kits	Tests	
<b>20.03</b>	<b>ELISA-Borrelia-IgM/IgG Kit № 1</b> Enzyme immunoassay for determination of IgM antibodies to Borrelia burgdorferi (Lyme)	<b>96</b>	
<b>20.04</b>	<b>ELISA-Borrelia- IgM/IgG Kit № 2</b> Enzyme immunoassay for determination of IgG antibodies to Borrelia burgdorferi (Lyme)	<b>96</b>	
<b>20.05.1</b>	<b>IFA-Borrelia-IgM</b> Immunofluorescence assay for determination of IgM antibodies to Borrelia burgdorferi (Lyme)	<b>50</b>	<b>on request</b>
<b>20.05.2</b>	<b>Kit № 1/1</b> <b>Kit № 1/2</b>	<b>100</b>	<b>on request</b>
<b>20.05.3</b>	<b>IFA-Borrelia-IgG</b> Immunofluorescence assay for determination of IgG antibodies to Borrelia burgdorferi (Lyme)	<b>50</b>	<b>on request</b>
<b>20.05.4</b>	<b>Kit № 2/1</b> <b>Kit № 2/2</b>	<b>100</b>	<b>on request</b>

**CANDIDOSIS DIAGNOSTICS**

Cat№	Description of kits	Tests	
<b>14.01</b>	<b>ELISA-Candida-IgA</b> Enzyme immunoassay for determination of IgA antibodies to combination Candida antigens (antigen is a combination of 5 Candida antigens- albicans, crusei, glabrata, pseudotropicalis and parapsilosis)	<b>96</b>	
<b>14.02</b>	<b>ELISA-Candida-IgM</b> Enzyme immunoassay for determination of IgM antibodies to combination Candida antigens (antigen is a combination of 5 Candida antigens- albicans, crusei, glabrata, pseudotropicalis and parapsilosis)	<b>96</b>	

Cat №	Description of kits	Tests	
<b>14.03</b>	<b>ELISA-Candida-IgG</b> Enzyme immunoassay for determination of IgG antibodies to combination Candida antigens (antigen is a combination of 5 Candida antigens- albicans, crusei, glabrata, pseudotropicalis and parapsilosis)	<b>96</b>	

**DIAGNOSIS OF PARASITIC INFECTIONS**

Cat №	Description of kits	Tests	
<b>17.01</b>	<b>ELISA-Giardia-IgA</b> Enzyme immunoassay for determination of IgA antibodies to Giardia antigens	<b>96</b>	
<b>17.06</b>	<b>ELISA-Giardia-IgM</b> Enzyme immunoassay for determination of IgM antibodies to Giardia antigens	<b>96</b>	
<b>17.02</b>	<b>ELISA-Giardia-IgG</b> Enzyme immunoassay for determination of IgG antibodies to Giardia antigens	<b>96</b>	
<b>17.03</b>	<b>ELISA-Giardia-antibodies</b> Enzyme immunoassay for the determination of total antibodies to Giardia antigens	<b>96</b>	
<b>17.04</b>	<b>ELISA-Ascarida-IgG</b> Enzyme immunoassay for determination of IgG antibodies to Ascarida antigens	<b>96</b>	
<b>17.05</b>	<b>ELISA-Opisthorchiasis-IgG</b> Enzyme immunoassay for determination of IgG antibodies to Opisthorchiasis antigens	<b>96</b>	

**VARICELLA ZOSTER DIAGNOSTICS**

Cat №	Description of kits	Tests	
<b>27.01</b>	<b>ELISA-Varicella-IgA</b> Enzyme immunoassay for determination of IgA antibodies to Varicella - zoster antigens	<b>96</b>	

Cat№	Description of kits	Tests	
27.02	<b>ELISA-Varicella-IgM</b> Enzyme immunoassay for determination of IgM antibodies to Varicella - zoster antigens	<b>96</b>	
27.03	<b>ELISA-Varicella-IgG</b> Enzyme immunoassay for determination of IgG antibodies to Varicella - zoster antigens	<b>96</b>	

**DIAGNOSIS OF RESPIRATORY SYNCYTIAL INFECTIONS**

Cat№	Description of kits	Tests	
22.01	<b>ELISA-RSV-IgG</b> Enzyme immunoassay for determination of IgG antibodies to Respiratory syncytial antigens	<b>96</b>	
22.02	<b>ELISA-RSV-IgM</b> Enzyme immunoassay for determination of IgM antibodies to Respiratory syncytial antigens	<b>96</b>	

**DIAGNOSIS OF INFLUENZA AND PARAINFLUENZA**

Cat№	Description of kits	Tests	
29.05.1	<b>ELISA- Influenza A -IgG</b> Enzyme immunoassay for determination of IgG antibodies to Influenza A	<b>96</b>	
29.05.2	<b>ELISA- Influenza A -IgA</b> Enzyme immunoassay for determination of IgA antibodies to Influenza A	<b>96</b>	
29.06.1	<b>ELISA- Influenza B -IgG</b> Enzyme immunoassay for determination of IgG antibodies to Influenza B	<b>96</b>	
29.06.2	<b>ELISA- Influenza B -IgA</b> Enzyme immunoassay for determination of IgA antibodies to Influenza B	<b>96</b>	

Cat №	Description of kits	Tests	
<b>29.01.1</b>	<b>ELISA- Parainfluenza 1 -IgA</b> Enzyme immunoassay for determination of IgA antibodies to Parainfluenza 1	<b>96</b>	
<b>29.01.2</b>	<b>ELISA- Parainfluenza 1 -IgG</b> Enzyme immunoassay for determination of IgG antibodies to Parainfluenza 1	<b>96</b>	
<b>29.02.1</b>	<b>ELISA- Parainfluenza 2 -IgA</b> Enzyme immunoassay for determination of IgA antibodies to Parainfluenza 2	<b>96</b>	
<b>29.02.2</b>	<b>ELISA- Parainfluenza 2 -IgG</b> Enzyme immunoassay for determination of IgG antibodies to Parainfluenza 2	<b>96</b>	
<b>29.03.1</b>	<b>ELISA- Parainfluenza 3 -IgA</b> Enzyme immunoassay for determination of IgA antibodies to Parainfluenza 3	<b>96</b>	
<b>29.03.2</b>	<b>ELISA- Parainfluenza 3 -IgG</b> Enzyme immunoassay for determination of IgG antibodies to Parainfluenza 3	<b>96</b>	
<b>29.04.1</b>	<b>ELISA- Parainfluenza- screen -IgA</b> Enzyme immunoassay for determination of IgA antibodies to Parainfluenza 1,2,3	<b>96</b>	
<b>29.04.2</b>	<b>ELISA- Parainfluenza- screen -IgG</b> Enzyme immunoassay for determination of IgG antibodies to Parainfluenza 1,2,3	<b>96</b>	

**DIAGNOSIS OF HORMONAL STATUS**

Cat №	Description of kits	Tests	
<b>60.01</b>	<b>ELISA-total triiodothyronine</b> Enzyme immunoassay for quantitative determination of triiodothyronine in human serum	<b>96</b>	

Cat№	Description of kits	Tests	
<b>60.02</b>	<b>ELISA-total thyroxine</b> Enzyme immunoassay for quantitative determination of thyroxine in human serum	<b>96</b>	
<b>60.03</b>	<b>ELISA- thyroid-stimulating hormone</b> Enzyme immunoassay for quantitative determination of thyroid-stimulating hormone in human serum	<b>96</b>	

**DIAGNOSIS OF ONCOLOGICAL DISEASE**

Cat№	Description of kits	Tests	
<b>61.01</b>	<b>ELISA-total PSA</b> Enzyme immunoassay for quantitative determination of prostate specific antigen (PSA) in human serum	<b>96</b>	

**DIAGNOSIS OF ADENOVIRUS**

Cat№	Description of kits	Tests	
<b>28.03</b>	<b>Adenoscreen-latex-test</b> Latex agglutination test the detection of adenoviral antigens	<b>50</b>	

**DIAGNOSIS OF STAPHYLOCOCCI**

Cat№	Description of kits	Tests	
<b>52.01</b>	<b>Citrate dry rabbit plasma</b> For plasma-coagulation reaction	<b>10 vials x 1 ml</b>	
<b>52.02</b>	<b>Staphy-latex-test</b> The kit of reagents for differentiation of staphylococci with clumping factor (bounded coagulase) and (or) protein A, and staphylococci not having them	<b>50</b>	

DIAGNOSIS OF STREPTOCOCCAL

Cat№	Description of kits	Tests	
<b>54.01</b>	<b>Strepto-latex-test</b> The kit of reagents to identify of streptococci in groups A,B,C,D,F, and G using a latex agglutination reaction.	<b>50</b>	

DIAGNOSIS OF INFECTIOUS MONONUCLEOSIS

Cat№	Description of kits	Tests	
<b>16.01</b>	<b>IM- latex-test</b> The kit of reagents for determination and definition of heterophile antibodies to mononucleosis (IM) infection in human serum by the method of latex agglutination reaction.	<b>20</b>	

DIAGNOSIS OF ROTAVIRUS INFECTION

Cat№	Description of kits	Tests	
<b>55.01</b>	<b>Rotaskrin- latex- test</b> The kit of reagents for determination of rotavirus antigen in faeces by patients by latex agglutination reaction.	<b>50</b>	

## FEBRILE SERODIAGNOSTIC: SALMONELLA PARATYPHI DIAGNOSTICS

Cat№	Description of kits	Tests	
<b>23.01</b>	<b>SALMONELLA PARATYPHI AH Kit № 1</b> The kit for qualitative and semiquantitative determination of antibodies to Salmonella paratyphi AH in agglutination reaction.	<b>250</b>	
<b>23.02</b>	<b>SALMONELLA PARATYPHI AO Kit № 2</b> The kit for qualitative and semiquantitative determination of antibodies to Salmonella paratyphi AO in agglutination reaction.	<b>250</b>	
<b>23.03</b>	<b>SALMONELLA PARATYPHI BH Kit № 3</b> The kit for qualitative and semiquantitative determination of antibodies to Salmonella paratyphi BH in agglutination	<b>250</b>	

Cat№	Description of kits	Tests	
	reaction.		
<b>23.04</b>	<b>SALMONELLA PARATYPHI BO Kit № 4</b> The kit for qualitative and semiquantitative determination of antibodies to Salmonella paratyphi BO in agglutination reaction.	<b>250</b>	
<b>23.05</b>	<b>SALMONELLA PARATYPHI CH Kit № 5</b> The kit for qualitative and semiquantitative determination of antibodies to Salmonella paratyphi CH in agglutination reaction.	<b>250</b>	
<b>23.06</b>	<b>SALMONELLA PARATYPHI CO Kit № 6</b> The kit for qualitative and semiquantitative determination of antibodies to Salmonella paratyphi CO in agglutination reaction.	<b>250</b>	

**TYPHOID DIAGNOSTICS**

Cat№	Description of kits	Tests	
<b>23.07</b>	<b>TYPHOID H Kit № 7</b> The kit for qualitative and semiquantitative determination of antibodies to Salmonella typhi H.	<b>250</b>	
<b>23.08</b>	<b>TYPHOID O Kit № 8</b> The kit for qualitative and semiquantitative determination of antibodies to Salmonella typhi O.	<b>250</b>	
<b>23.09</b>	<b>Salmonella typhi Vi-antibodies Kit № 8/1</b> The kit for determination of specific antibodies to Vi-antigen Salmonella typhi	<b>250</b>	
<b>42.01</b>	<b>Vi-Salmonella-PHA</b> Kit of reagents for detection of Vi antibodies to Salmonella typhi by the passive haemagglutination assay (PHA)	64 qualitative determinations or 12 semiquantitative determinations	<b>on request</b>

**BRUCELLOSIS DIAGNOSTICS**

Cat№	Description of kits	Tests	
<b>24.02</b>	<b>BRUCELLOSIS DIAGNOSTICS FOR AGGLUTINATION REACTION Kit № 9</b> The kit for qualitative and semiquantitative determination of antibodies to Brucella abortus, Brucella melitensis, Brucella suis antigens.	<b>1000</b>	

**PROTEUS DIAGNOSIS**

Cat№	Description of kits	Tests	
<b>25.01</b>	<b>Kit № 10</b> The kit for qualitative and semiquantitative determination of antibodies to Brucella abortus, Brucella melitensis, Brucella suis antigens in agglutination reaction.	<b>250</b>	
<b>25.02</b>	<b>Kit № 11</b> The kit for qualitative and semiquantitative determination of antibodies to Brucella abortus, Brucella melitensis, Brucella suis antigens in agglutination reaction.	<b>250</b>	
<b>25.03</b>	<b>Kit № 12</b> The kit for qualitative and semiquantitative determination of antibodies to Brucella abortus, Brucella melitensis, Brucella suis antigens in agglutination reaction.	<b>250</b>	

**PERTUSSIS DIAGNOSIS**

Cat№	Description of kits	Tests	
<b>53.01</b>	<b>Diagnosticum pertussis liquid for agglutination reaction</b> (10 vials x 5 ml)	<b>40</b>	
<b>53.02</b>	<b>Diagnosticum parapertussis liquid for agglutination reaction</b> (10 vials x 5 ml)	<b>50</b>	
<b>53.03</b>	<b>Diagnosticum pertussis (5 vials x 5 ml) and parapertussis (5 vials x 5 ml) liquids for agglutination reaction</b>	<b>40</b>	

## **DIAGNOSIS OF INFLAMMATORY PROCESSES**

### **RHEUMATOID FACTOR**

Cat№	Description of kits	Tests	
<b>11.01</b>	<b>RF-Latex-test</b> The kit for determination of rheumatoid factor (RF) in latex agglutination reaction. (Qualitative and quantitative method)	<b>250</b>	

### **ANTISTREPTOLYSIN-O**

Cat№	Description of kits	Tests	
<b>11.02</b>	<b>ASO-Latex-test</b> The kit for determination of anti-streptolysin-O in latex agglutination reaction. (Qualitative and quantitative method).	<b>250</b>	

### **C-REACTIVE PROTEIN**

Cat№	Description of kits	Tests	
<b>12.01</b>	<b>CRP-Latex-test</b> The kit for determination of c-reactive Protein in latex agglutination reaction. (Qualitative and quantitative method).	<b>250</b>	
<b>12.02</b>	<b>Antiserum to C-reactive protein for microprecipitation assay, dry with capillaries</b>	<b>50</b>	

### **IMMUNOGLOBULINS AND SERUM FOR DIAGNOSTICS OF ESCHERICHIA COLI**

Cat№	Description of kits	Tests	
	Immunoglobulins and serum for diagnostics of Escherichia coli in the agglutination reaction. More than 100 products	<b>5 vials x 1 ml</b>	<b>on request</b>

## RAW MATERIAL

Cat№	Description	Tests	
<b>15.01</b>	<b>Blocking Reagent</b> For blocking IgG antibodies and nonspecific reactions in ELISA	<b>on request</b>	<b>on request</b>
<b>03.12</b>	<b>Conserved sheep blood for complement fixation reaction</b>	<b>5 vials x 10 ml</b>	
<b>50.97</b>	<b>Serum normal goat, sterile</b>	<b>100ml</b>	
<b>50.99</b>	<b>The blood of the sheep defibrinated (50 ml and 100 ml packing) expiration date – 14 days</b>	<b>1 liter</b>	<b>on request</b>
<b>50.98</b>	<b>The blood of the sheep citrate (50 ml and 100 ml packing) expiration date – 30 days</b>	<b>1 liter</b>	<b>on request</b>
<b>56.01</b>	<b>Serum of sheep blood for nutrient media (10 ml)</b>	<b>10 ml</b>	<b>on request</b>
<b>57.01</b>	<b>FITC-conjugate anti human IgM</b> Conjugate of affinity purified rabbit antibodies anti human IgM with fluorescein-iso-tio-cianate (FITC)	<b>5 vials x 1ml</b>	
<b>57.02</b>	<b>FITC-conjugate anti human IgG</b> Conjugate of affinity purified rabbit antibodies anti human IgG with fluorescein-iso-tio-cianate (FITC)	<b>5 vials x 1ml</b>	
<b>40.01</b>	<b>Suspension of Treponema pallidum (stamm Nicols), concentration on request</b>	<b>1 ml</b>	<b>on request</b>
<b>40.02</b>	<b>Goat serum against human IgG</b>	<b>1 ml</b>	
<b>40.03</b>	<b>HSV-1, purified viral lysate</b>	<b>1 mg</b>	
<b>40.04</b>	<b>HSV-2, purified viral lysate</b>	<b>1 mg</b>	
<b>40.05</b>	<b>CMV, purified viral lysate</b>	<b>1 mg</b>	
<b>40.06</b>	<b>Monoclonal antibodies to HBsAg</b>	<b>1 mg</b>	
<b>40.07</b>	<b>Chromogen solution (TMB) one-component</b>	<b>1 ml</b>	<b>on request</b>
<b>40.19</b>	<b>Measles, purified viral lysate</b>	<b>1 mg</b>	
<b>40.20</b>	<b>Mumps, purified viral lysate</b>	<b>1 mg</b>	
<b>40.32</b>	<b>Varicella zoster, purified viral lysate</b>	<b>1 mg</b>	
<b>40.33</b>	<b>Epstein-Barr, purified viral lysate</b>	<b>1 mg</b>	

Cat №	Description	Tests	
40.24	<b>Formalized microbe suspension of Bordetella pertussis stamm 305, 475, 267 (up to 20 billion pertussis bacterium in 1 ml), sterile</b>	<b>from 1 ml to 10 litres</b>	<b>on request</b>
40.25	<b>Formalized microbe suspension of Bordetella parapertussis stamm 1560, 17903 (up to 35 billion parapertussis bacterium in 1 ml), sterile</b>	<b>from 1 ml to 10 litres</b>	<b>on request</b>
40.26	<b>Antigen Borrelia burgdorferi</b>	<b>1 ml</b>	
40.27	<b>Antigen Borrelia afzelii</b>	<b>1 ml</b>	
40.29	<b>Antigen Borrelia garinii</b>	<b>1 ml</b>	
40.30	<b>Antigen Toxoplasma gondii</b>	<b>1 ml</b>	
40.31	<b>Positive rabbit serum against Treponema Pallidum , titer of antibodies - on request</b>	<b>1 liter</b>	<b>on request</b>

**HCV (Hepatitis C virus)**

Recombinant proteins

Cat №	Description	Tests	
41.01	<b>HCV core antigen Genotype-1b (2-120 aa). His-tagged.</b>	<b>ELISA</b>	<b>on request</b>
41.02	<b>HCV core antigen Genotype-3a (2-120 aa). His-tagged.</b>	<b>ELISA</b>	<b>on request</b>
41.03	<b>HCV core antigen Genotype-3a (2-79 aa). His-tagged.</b>	<b>ELISA</b>	<b>on request</b>
41.04	<b>HCV NS3 antigen Genotype-1b (1207-1449 aa). His-tagged.</b>	<b>ELISA WB</b>	<b>on request</b>
41.05	<b>HCV NS4 mosaic antigen contains regions 1713-1738 aa, 1925-1940 aa, from 1,3 genotypes. TRX-fused.</b>	<b>ELISA WB</b>	<b>on request</b>
41.06	<b>HCV NS5 antigen Genotype-1b (2218-2313 aa). His-tagged.</b>	<b>ELISA</b>	<b>on request</b>
41.07	<b>HCV core antigen (2-32 aa). TRX-fused.</b>	<b>ELISA WB</b>	<b>on request</b>
41.08	<b>HCV core antigen (30-72 aa). TRX-fused.</b>	<b>ELISA WB</b>	<b>on request</b>
41.09	<b>HCV E2 antigen Genotype-1b (385-412 aa). TRX-fused.</b>	<b>ELISA WB</b>	<b>on request</b>
41.10	<b>HCV NS4 antigen (1926-1940 aa). TRX-fused.</b>	<b>ELISA WB</b>	<b>on request</b>

Cat№	Description	Tests	
41.11	HCV NS5 antigen (2295-2313 aa).TRX-fused.	ELISA WB	on request
41.12	HCV mosaic antigen contains core (2-42 aa) and NS3 (1353-1449aa). His-tagged.	ELISA WB	on request
41.13	HCV mosaic antigen contains core (2-78 aa) and NS5 (2295-2313 aa). His-tagged.	ELISA WB	on request
41.14	HCV mosaic antigen contains core (2-78 aa) and NS4, NS5 conservative epitopes. His-tagged.	ELISA WB	on request
41.28	HCV NS4 mosaic antigen contains regions 1691-1710aa, 1712-1733aa, 1921-1940aa, from 1,2,3, genotypes. His-tagged.	ELISA WB	on request

**Treponema Pallidum**  
Recombinant proteins

Cat№	Description	Tests	
41.15	T. pallidum TpN15 antigen. TRX-fused.	ELISA WB	on request
41.16	T. pallidum TpN17 antigen. TRX-fused.	ELISA WB	on request
41.17	T. pallidum TpN17 antigen. His-tagged.	ELISA	on request
41.18	T. pallidum TpN47 antigen. TRX-fused.	ELISA WB	on request
41.19	Immunodominant domain of T. pallidum TpN47 antigen. TRX-fused.	ELISA WB	on request
41.20	Immunodominant domain of T. pallidum TpN47 antigen. His-tagged.	ELISA	on request
41.21	T. pallidum TmpA antigen. TRX-fused.	ELISA WB	on request
41.22	T. pallidum TmpA antigen. His-tagged.	ELISA	on request
41.23	T. pallidum mosaic antigen contains TpN17 and immunodominant domain of TpN47. His-tagged.	ELISA	on request

**Treponema Pallidum**  
Conjugated proteins

Cat№	Description	Tests	
41.24	HRP conjugated TTN15	1 step ELISA IgM-capture ELISA	on request
41.25	HRP conjugated HN17	1 step ELISA IgM-capture ELISA	on request

Cat№	Description	Tests	
41.26	<b>HRP conjugated TTN47</b>	1 step ELISA IgM-capture ELISA	<b>on request</b>
41.27	<b>HRP conjugated TTN47</b>	1 step ELISA IgM-capture ELISA	<b>on request</b>

**CMV (Cytomegalovirus)**  
Recombinant proteins

Cat№	Description	Tests	
41.29	<b>sCMV</b> CMV mosaic antigen contains immunodominant domain of pp150, pp52, pp28 and gB. His-tagged.	ELISA	<b>on request</b>

**CMV (Cytomegalovirus)**  
Conjugated protein

Cat№	Description	Tests	
41.30	<b>sCMV –HRP</b> HRP conjugated sCMV	1 step ELISA IgM-capture ELISA	<b>on request</b>

**EBV (Epstein-Barr virus)**  
Recombinant proteins

Cat№	Description	Tests	
41.31	<b>VCA</b> Immunodominant region of EBV capsid antigen. His-tagged.	ELISA	<b>on request</b>
41.32	<b>EBNA</b> Immunodominant region of EBV nuclear antigen. His-tagged.	ELISA	<b>on request</b>
41.33	<b>EA</b> Immunodominant region of EBV early antigen. His-tagged.	ELISA	<b>on request</b>

**EBV (Epstein-Barr virus)**  
Conjugated protein

Cat№	Description	Tests	
41.34	<b>VCA –HRP</b> VCA HRP conjugated VCA	IgM-capture ELISA	<b>on request</b>

Tel: +7 (915) 212-91-06, +7 (495) 851-15-96

e-mail: impex@allergen.ru

[www.allergen.ru](http://www.allergen.ru)

**B. burgdorferi  
Recombinant proteins**

Cat№	Description	Tests	
41.35	<b>VOX</b> Mosaic antigen contains regions of VlsE and OspC peptides from B. burgdorferi stricto and B. garinii. His-tagged.	ELISA	<b>on request</b>

**B. burgdorferi  
Conjugated protein**

Cat№	Description	Tests	
41.36	<b>VOX -HRP</b> HRP conjugated VOX	IgM-capture ELISA	<b>on request</b>

**Herpes Simplex Virus (HSV1, HSV2)  
Recombinant proteins**

Cat№	Description	Tests	
41.37	<b>HSV1</b> mosaic antigen contains immunodominant regions of gG-1. TRX-fused	ELISA	<b>on request</b>
41.38	<b>HSV2</b> mosaic antigen contains immunodominant regions of gG-2. TRX-fused	ELISA	<b>on request</b>

**Herpes Simplex Virus (HSV1, HSV2)  
Conjugated protein**

Cat№	Description	Tests	
41.39	<b>HSV1-HRP</b> HRP conjugated HSV1	ELISA  IgM-capture ELISA	<b>on request</b>

Cat№	Description	Tests	
<b>41.40</b>	<b>HSV2-HRP</b> HRP conjugated HSV2	ELISA IgM-capture ELISA	<b>on request</b>

# **BIOCHEMICAL TESTS**

## LIPIDS

<b>Cat№</b>	<b>Description of kits</b>	
	<b>Cholesterol</b> <b>Diagnostic kit for determination of cholesterol in human serum or plasma (enzymatic method)</b>	
<b>31.03.1</b>	<b>Kit № 1</b> <b>100 ml</b>	
<b>31.03.2</b>	<b>Kit № 2</b> <b>500 ml</b>	
	<b>Cholesterol- (liquid)</b> Diagnostic kit for determination of cholesterol in human serum or plasma <b>(liquid stabilized reagents)</b>	
<b>31.05</b>	<b>Kit № 1</b> <b>150 ml</b>	
<b>31.05.1</b>	<b>Kit № 2</b> <b>300 ml</b>	
<b>31.05.2</b>	<b>Kit № 3</b> <b>600 ml</b>	
<b>31.04</b>	<b>Cholesterol-HDL</b> <b>100 ml</b> Diagnostic kit for determination of cholesterol lipoproteins with high density	
	<b>Triglycerides</b> The kit of reagents for determination of triglycerides in human serum and plasma	
<b>31.06</b>	<b>Kit № 1</b> <b>90 ml</b>	
<b>31.06.1</b>	<b>Kit № 2</b> <b>180 ml</b>	

## CARBOHYDRATES

<b>Cat№</b>	<b>Description of kits</b>	
<b>32.01.1</b>	<b>Glucose with THU</b> <b>500 ml</b> Diagnostic kit for determination of glucose in biological liquids using glucose oxidase	
<b>32.01.2</b>	<b>Glucose</b> <b>500 ml</b> Diagnostic kit for determination of glucose in biological liquids using glucose oxidase with anticoagulants	
	<b>Glucose-(liquid)</b> Diagnostic kit for the determination of glucose concentration in serum and	

<b>Cat№</b>	<b>Description of kits</b>
	plasma (liquid stabilized reagents)
<b>32.03.1</b>	<b>Kit № 1</b> <b>100 ml</b>
<b>32.03.2</b>	<b>Kit № 2</b> <b>500 ml</b>

**ENZYMES**

<b>Cat№</b>	<b>Description of kits</b>
<b>33.01</b>	<b>ALT (GPT) Raitman–Frenkel</b> <b>2400 ml (800 definitions)</b> Diagnostic kit for determination of alanine amino- transferase activity in serum and plasma by Raitman–Frenkel method. Reagents are ready to use
<b>33.02</b>	<b>ALT (GPT) – Kinetic</b> Diagnostic kit for determination of alanine aminotransferase activity in serum and plasma by kinetic method
<b>33.02.1</b>	<b>Kit № 1</b> <b>100 ml</b> <b>Kit № 2</b> <b>300 ml</b>
<b>33.03</b>	<b>ALT (GPT) – liquid</b> Diagnostic kit for determination of alanine aminotransferase activity in serum and plasma by kinetic method (stabilized liquid reagents)
<b>33.03.1</b>	<b>Kit № 1</b> <b>100 ml</b> <b>Kit № 2</b> <b>500 ml</b>
<b>33.04</b>	<b>Amilase</b> <b>500 ml (100 definitions)</b> Diagnostic kit for determination of alpha-amilase activity in biological liquids by amyloclastic method
<b>33.04.2</b>	<b>Amilase- Kinetic</b> <b>100 ml</b> Diagnostic kit for the determination of alpha-amilase in serum and plasma by kinetic method
<b>33.05</b>	<b>AST (GOT) Raitman–Frenkel</b> <b>2400 ml (800 definitions)</b> Diagnostic kit for the determination of aspartate aminotransferase activity in serum and plasma by Raitman–Frenkel method. Reagents are ready to use
	<b>AST (GOT)-Kinetic</b> Diagnostic kit for the determination of aspartate aminotransferase activity in

Cat№	<b>Description of kits</b>	
	serum and plasma by kinetic method	
<b>33.06</b>	<b>Kit № 1</b> <b>100 ml</b>	
<b>33.06.1</b>	<b>Kit № 2</b> <b>300 ml</b>	
	<b>AST</b> <b>Diagnostic kit for the determination aspartate aminotransferase activity in serum and plasma by kinetic method (stabilized liquid reagents)</b>	
<b>33.07</b>	<b>Kit № 1</b> <b>100 ml</b>	
<b>33.07.1</b>	<b>Kit № 2</b> <b>500 ml</b>	
	<b>L- γ -G.</b> <b>80 ml</b>	
<b>33.08</b>	<b>Glutamyltranspherase</b> Diagnostic kit for the determination of L-γ-glutamyltranspherase in serum and plasma by kinetic method	
	<b>Acid phosphatase – KT</b> <b>100 ml (50 definitions)</b>	
<b>33.15</b>	Diagnostic kit for determination of acid phosphatase activity in serum (end point)	
	<b>Lactate dehydrogenase</b> The kit of reagents for determination of lactate dehydrogenase activity in serum and plasma	
<b>33.09</b>	<b>Kit № 1</b> <b>50 ml</b>	
<b>33.09.1</b>	<b>Kit № 2</b> <b>100 ml</b>	
	<b>Alkaline phosphatase-Kinetic</b> <b>80 ml</b>	
<b>33.11</b>	<b>Diagnostic kit for determination of alkaline phosphatase activity in serum and plasma by kinetic method</b>	
	<b>Alkaline phosphatase-(end point)</b> <b>450 ml (200 definitions)</b>	
<b>33.12</b>	Diagnostic kit for determination of alkaline phosphatase activity in serum and plasma by enzymatic hydrolysis of p-nitrophenilphosphate (end point)	

**PROTEIN AND NON-PROTEIN NITROGEN SUBSTANCES EXCHANGE**

Cat№	<b>Description of kits</b>
	<b>Albumin (ready to use)</b> Diagnostic kit for determination of albumin in serum and plasma by reaction

<b>Cat№</b>	<b>Description of kits</b>	
	with bromocresol green	
<b>34.01.1</b>	<b>Kit № 1</b>	<b>100 ml</b>
<b>34.01.2</b>	<b>Kit № 2</b>	<b>500 ml</b>
<b>34.02</b>	<b>Total protein (concentrate)</b>	<b>500 ml</b>
	Diagnostic kit for determination of total protein in serum and plasma by biuret reaction	
	<b>Total protein (ready to use)</b>	
	Diagnostic kit for determination of total protein in serum and plasma by biuret reaction	
<b>34.02.1</b>	<b>Kit № 1</b>	<b>100 ml</b>
<b>34.02.2</b>	<b>Kit № 2</b>	<b>500 ml</b>

### **CHROMOPROTEINS EXCHANGE**

<b>Cat№</b>	<b>Description of kits</b>	
<b>35.01</b>	<b>Bilirubin-Direct/Total</b>	<b>500 ml (125 definitions)</b>
	Diagnostic kit for determination of conjugated and total bilirubin in serum by Endrassik-Grof method	
<b>35.03</b>	<b>Bilirubin-Total</b>	<b>300 ml (150 definitions)</b>
	Diagnostic kit for determination of total bilirubin in serum by Endrassik-Grof method	
<b>35.02</b>	<b>Hemoglobin</b>	<b>3000 ml (600 definitions)</b>
	Diagnostic kit for determination of hemoglobin in blood by gemoglobincianide method	
<b>34.03</b>	<b>Creatinin-kinetic</b>	<b>200 ml</b>
	Diagnostic kit for determination of creatinin in serum and plasma	
<b>34.04</b>	<b>Creatinin-Jaffe-1</b>	<b>300 ml (200 definitions)</b>
	Diagnostic kit for determination of creatinin in biological liquids by Jaffe reaction (modified Jaffe method without deproteinisation)	
<b>34.09</b>	<b>Uric acid</b>	
	Diagnostic kit for determination of uric acid in biological liquids (enzymatic method)	
	<b>Kit № 1</b>	<b>90 ml</b>

Tel: +7 (915) 212-91-06, +7 (495) 851-15-96

e-mail: impex@allergen.ru

[www.allergen.ru](http://www.allergen.ru)

Cat№	<b>Description of kits</b>	
<b>34.09.1</b>	<b>Kit № 2</b>	<b>180 ml</b>
<b>34.06</b>	<b>Urea-DAMO</b>	<b>400 ml (200 definitions)</b>
	Diagnostic kit for determination of urea in biological liquids by reaction with diacetylmonoxim	
<b>34.07</b>	<b>Urea</b>	<b>200 ml</b>
	Diagnostic kit for determination of urea in serum and plasma by urease method with salicilate-hypochloride reagent	
<b>34.07.1</b>	<b>Urea- UV</b>	<b>50 ml</b>
	Diagnostic kit for enzymatic determination of urea in serum, plasma and urine (UV kinetic method)	
	<b>Thymol test</b>	
	Diagnostic kit for thymol test	
<b>34.08.1</b>	<b>Kit № 1</b>	<b>500 ml (165 definitions)</b>
<b>34.08.2</b>	<b>Kit № 2</b>	<b>1500 ml (500 definitions)</b>

### ELECTROLYTES

Cat№	<b>Description of kits</b>	
<b>36.01</b>	<b>Iron</b>	<b>100 ml</b>
	Diagnostic kit for determination of iron in serum and plasma by reaction with ferrozine	
<b>36.02</b>	<b>TIBC</b>	<b>100 ml</b>
	Diagnostic kit for determination of total iron and its binding capacity in plasma	
	<b>Calcium-o-CPC</b>	
	Diagnostic kit for determination of total calcium in serum by reaction with o-cresolphthalein complexon (o-CPC)	
<b>36.03</b>	<b>Kit № 1</b>	<b>90 ml</b>
<b>36.03.1</b>	<b>Kit № 2</b>	<b>300 ml</b>
<b>36.04</b>	<b>Phosphorus</b>	<b>200 ml</b>
	Diagnostic kit for the determination of inorganic phosphorus by colorimetric method	
<b>36.06</b>	<b>Phosphorus -UV</b>	<b>100 ml</b>
	Diagnostic kit for determination of inorganic phosphorus in serum, plasma and	

Tel: +7 (915) 212-91-06, +7 (495) 851-15-96

e-mail: impex@allergen.ru

[www.allergen.ru](http://www.allergen.ru)

<b>Cat№</b>	<b>Description of kits</b>	
	urea by UV method	
<b>36.05</b>	<b>Chlorides</b> <b>100 ml</b> Diagnostic kit for determination of chlorides in biological fluids by photometric method (reaction with mercuric thiocyanate)	
<b>36.07.1</b>	<b>Magnesium</b> <b>Kit № 1</b> <b>50 ml</b>	
<b>36.07.2</b>	<b>Kit № 2</b> <b>100 ml</b>	
<b>36.08</b>	<b>UIBC</b> <b>100 ml</b> Kit of reagents for determination of unsaturated iron binding capacity of blood serum by reaction with ferrozine	

## DYES FOR HEMATOLOGICAL TESTS

Cat№	Description	
<b>37.01</b>	<b>Azur -Eosin Romanovsky dye (solution)</b>	<b>4000 analyses</b>
<b>37.07</b>	<b>Romanovsky-Giemsa classic</b>	<b>up to 2000 analyses</b>
<b>37.02</b>	<b>Eosin methylene blue May-Grunwald (solution)</b>	<b>1000 analyses</b>
<b>37.03</b>	<b>Eosin methylene blue Leishman dye (in solution)</b>	<b>1000 analyses</b>
<b>37.04</b>	<b>“Gemocrafics”</b> dye for hematological and cytological researches.	<b>600-800 analyses</b>
<b>37.04.1</b>	<b>Hemokrafix</b> Kit of reagents for fixing and staining in the hematology and cytology research (for automatic staining by the "Hematek")	<b>1000 analyses</b>
<b>37.06</b>	<b>Solution of brilliant cresyl blue for detection</b> <b>of reticulocytes in blood</b>	<b>1000 analyses</b>
<b>52.02</b>	<b>Phosphate buffer, a buffer mixture for hematology</b> 6 vials/5 ml (for 30 l buffer mixture) <b>(pH 6,8 - 7,2)</b>	
<b>52.02.1</b>	<b>Phosphate buffer, a buffer mixture for hematology</b> 1 vials/40 ml (for 20 l buffer mixture) <b>(pH 6,8 - 7,2)</b>	

## CYTOCHEMICAL TESTS

Cat№	Description	
<b>37.05</b>	<b>Cytochemistry-Lipids</b> The kit for painting of lipids in leukocytes	<b>25 analyses</b>

## MICROBIOLOGICAL TESTS

Cat№	Descriptions	
<b>51.01</b>	<b>Kit of reagents for Gram painting (with safranin)</b>	<b>100 analyses</b>
<b>51.05</b>	<b>Kit of reagents for Gram painting (with fuchsin)</b>	<b>100 analyses</b>

Cat№	Descriptions	
<b>51.07</b>	<b>Kit of reagents for Gram painting (with neutral red)</b>	<b>100 analyses</b>
<b>51.06</b>	Kit of reagents for Auramine-Rhodamine Fluorochrome Staining of mycobacterium to visualized Acid fast bacilli (AFB) - Truant method. <b>100 analyses</b>	
<b>51.02</b>	<b>Kit of reagents for painting of smears by Ziehl-Neelsen method</b>	<b>100 analyses</b>
<b>51.03</b>	<b>Basic Celia fuchsin (4 vials x 2.5 ml)</b>	<b>100 analyses</b>
<b>51.04.1</b>	<b>Solution of methylene blue Leffler, 100 ml (200 ml)</b> <b>100 ml</b>	
<b>51.04.2</b>	<b>250 ml</b>	
	<b>Solution of lugol for Gram painting</b>	
<b>51.09.1</b>	<b>100 ml</b>	
<b>51.09.2</b>	<b>1 L</b>	

### GENERAL CLINICAL TESTS

Cat№	Descriptions	
<b>38.02</b>	<b>Clinic-blood</b> The kit for a general analysis of the blood using a unified method Fixing and staining of smears of blood The number of erythrocytes The number of leukocytes The number of platelets SOE Panchenkov's micromethod	<b>4000 analyses</b> <b>4000 analyses</b> <b>4000 analyses</b> <b>4000 analyses</b> <b>4000 analyses</b>
<b>38.03</b>	<b>Clinic-feces</b> The set of reagents for clinical analysis of feces <b>Kit № 1 The clinical analyse of feces</b> Hidden blood Stercobilin Bilirubin Microscopic study	<b>1000 analyses</b> <b>50 analyses</b> <b>200 analyses</b> <b>2000 analyses</b>
<b>38.03.2</b>	<b>Kit № 2 Definition of occult blood</b>	<b>1000 analyses</b>
<b>38.03.3</b>	<b>Kit № 3 Definition of stercobilin</b>	<b>50 analyses</b>
<b>38.03.4</b>	<b>Kit № 4 Definition of bilirubin</b>	<b>200 analyses</b>

Cat№	Descriptions	
38.03.5	Kit № 5 Microscopic study	2000 analyses
38.04	<b>Clinic-Urine</b> The set of reagents for clinical analysis of urine  <b>Kit № 1 The set for clinical analysis of urine</b> Acidity 1000 analyses Glucose 1000 analyses Ketones 1000 analyses Bilirubin 400 analyses Urobilinoidi 1000 analyses <b>Total protein:</b> - qualitative determination 1000 analyses - quantitative determination 330 analyses	
38.04.2	Kit № 2 The determination of pH urine	5000 analyses
38.04.3	<b>Kit № 3 The determination of protein in urine with sulfosalicylic acid</b>  - qualitative determination 1000 analyses - quantitative determination 330 analyses	
38.04.4	Kit № 4 The determination of glucose	500 analyses
38.04.5	Kit № 5 The determination of ketone bodies	2500 analyses
38.04.6	Kit № 6 The determination of bilirubine	400 analyses
38.04.7	Kit № 7 The determination of urobilinoidi	1000 analyses
38.05	<b>Clinic-sputum</b> The set of reagents for clinical analysis of sputum	
38.06	<b>Clinic- Spinal fluid</b> The set for clinical of cerebrospinal fluid	
38.08	<b>Method KATO</b> The kit for detection of fecal worms and their eggs by method thick smear	500 analyses
38.09.1	<b>Protein- PGK</b> The set of reagents for the determination of protein in urine and cerebrospinal fluid	100 analyses
38.09.2	Kit № 1	500 analyses
38.10	<b>Supravital Urine Sediment Stain</b> Kit of reagents for supravital staining of urine sediment (modification of the	500-1500 analyses

Cat№	Descriptions
	Sternheimer method)